

Belchim Crop Protection US Corporation 225 Wilmington West Chester Pike, Chadds Ford, PA 19317 855-445-7990 www.belchimusa.com

RESTRICTED USE PESTICIDE

Due to dermal irritation.

For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's Certificate.

FIFRA 2(ee) Recommendation FOR THE USE OF SPIN-AID HERBICIDE FOR POSTEMERGENCE CONTROL OF WEEDS IN SPINACH (GROWN FOR PROCESSING AND SEED)

FIFRA Section 2(ee) Recommendation: This recommendation is made as permitted under FIFRA Section 2(ee) and has not been submitted to or approved by the EPA. This product bulletin must be in the possession of the user at the time of application of the product. All applicable directions, restrictions and precautions on the EPA registered label are to be followed.

FOR DISTRIBUTION AND USE ONLY WITHIN THE STATE OF TEXAS.

Spin-Aid Herbicide EPA Reg. No. 87865-5

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its label.

CROP	WEEDS	RATE/ACRE	USE RECOMMENDATIONS
SPINACH	Wild mustard Brassica kaber	1 Pint/Acre	Apply 1 pint of Spin-Aid
	Common lambsquarters Chenopodium album		7 -10 days after seeding
	Shepherdspurse Capsella bursa-pastoris		when weeds are at two-
	London rocket Sisymbrium irio		leaf stage.
	Nettleleaf goosefoot Chenopodium murale		Ground: Apply in 10-20
	Groundcherry Physalis lanceifolia		gallons of water on a
	Coast fiddleneck Amsinckia intermedia		broadcast basis.
	Common chickweed Stellaria media		Air: Apply in 5 – 20
	Purslane Portulaca oleracea		gallons of spray/acre.
	Common ragweed Ambrosia artemisiifolia		
	Annual sowthistle Sonchus oleraceus		Note: This application
			should follow a pre
			emergent application of
			Cycloate Herbicide

For Chemical Emergency, Spill, Leak, Fire, Exposure or Accident, Call CHEMTREC Day or Night Within USA and Canada 1-800-424-9300

2(ee) Expires December 31, 2024