

Belchim Crop Protection US Corporation Belchim USA 225 Wilmington West Chester Pike, Chadds Ford, PA 19317 855-445-7990

www.belchimusa.com

RESTRICTED USE PESTICIDE

Due to dermal irritation.

For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's Certificate.

FIFRA 2(ee) Recommendation FOR THE USE OF SPIN-AID HERBICIDE FOR POSTEMERGENCE CONTROL OF WEEDS IN SPINACH (GROWN FOR PROCESSING AND SEED)

FIFRA Section 2(ee) Recommendation: This recommendation is made as permitted under FIFRA Section 2(ee) and has not been submitted to or approved by the EPA. This product bulletin must be in the possession of the user at the time of application of the product. All applicable directions, restrictions and precautions on the EPA registered label are to be followed.

FOR DISTRIBUTION AND USE ONLY WITHIN THE STATE OF TEXAS.

Spin-Aid Herbicide EPA Reg. No. 87865-5

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its label.

CROP	WEEDS	RATE/ACRE	USE RECOMMENDATIONS
SPINACH	Wild mustard Brassica kaber Common lambsquarters Chenopodium album Shepherdspurse Capsella bursa-pastoris London rocket Sisymbrium irio Nettleleaf goosefoot Chenopodium murale Groundcherry Physalis lanceifolia Coast fiddleneck Amsinckia intermedia Common chickweed Stellaria media Purslane Portulaca oleracea Common ragweed Ambrosia artemisiifolia Annual sowthistle Sonchus oleraceus	1 Pint/Acre	Apply 1 pint of Spin-Aid 7 -10 days after seeding when weeds are at two-leaf stage. Ground: Apply in 10-20 gallons of water on a broadcast basis. Air: Apply in 5 – 20 gallons of spray/acre. Note: This application should follow a preemergent application of Cycloate Herbicide

For Chemical Emergency, Spill, Leak, Fire, Exposure or Accident, Call CHEMTREC Day or Night Within USA and Canada 1-800-424-9300